



Label



Dimethoate 4EC

Systemic Insecticide – Miticide

<p>ACTIVE INGREDIENT: Dimethoate* 43.5%</p> <p>OTHER INGREDIENTS: 56.5%</p> <p>TOTAL: 100.0%</p> <p>*This product contains 4 pounds of active ingredient per gallon.</p> <p style="text-align: center;">KEEP OUT OF REACH OF CHILDREN WARNING / AVISO</p> <p style="font-size: small;">Si usted no entiende a etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)</p> <p style="text-align: center;">See FIRST AID Below</p> <p>EPA Reg. No. 19713-231 EPA Est. No. 19713-XX-XXXX Net Content:</p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th style="text-align: center;">FIRST AID ORGANOPHOSPHATE</th> </tr> </thead> <tbody> <tr> <td> <p>IF SWALLOWED:</p> <ul style="list-style-type: none"> • Call a poison control center or doctor for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person. <p>IF IN EYES:</p> <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice. <p>IF ON SKIN OR CLOTHING:</p> <ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice. <p>IF INHALED:</p> <ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, and any mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice. <p>Have the product container or label with you when calling a poison control center or doctor or going to hospital. For information on the toxic effects of this product including health concerns, medical emergencies or persistent incidents call the National Pesticide Information Center at 1-800-858-7378.</p> <p>NOTE TO PHYSICIAN: AVOID ORAL GELS. Patients may obtain more information as an adjunct to therapy. This product may also be obtained as a liquid. Dimethoate is an organophosphate insecticide.</p> </td> </tr> </tbody> </table> <p style="text-align: center;">PRECAUTIONARY STATEMENTS Hazards To Humans and Domestic Animals</p> <p>WARNING: Harmful or fatal if swallowed. Avoid breathing vapor or spray mist. Avoid contact with skin, eyes and clothing. May cause eye irritation. Use only with adequate ventilation. Do not contaminate food and feed products.</p> <p>PERSONAL PROTECTIVE EQUIPMENT (PPE) Some materials that are chemical-resistant to this product are Barrier laminate, Butyl rubber or Viton. If you want more options, follow the instructions for Category B on an EPA chemical-resistance category selection chart.</p>	FIRST AID ORGANOPHOSPHATE	<p>IF SWALLOWED:</p> <ul style="list-style-type: none"> • Call a poison control center or doctor for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person. <p>IF IN EYES:</p> <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice. <p>IF ON SKIN OR CLOTHING:</p> <ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice. <p>IF INHALED:</p> <ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, and any mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice. <p>Have the product container or label with you when calling a poison control center or doctor or going to hospital. For information on the toxic effects of this product including health concerns, medical emergencies or persistent incidents call the National Pesticide Information Center at 1-800-858-7378.</p> <p>NOTE TO PHYSICIAN: AVOID ORAL GELS. Patients may obtain more information as an adjunct to therapy. This product may also be obtained as a liquid. Dimethoate is an organophosphate insecticide.</p>	<p>PRECAUTIONARY STATEMENTS (Cont.) Mixers, loaders, applicators, flaggers, and other handlers must wear: Long-sleeved shirt and long pants, shoes plus socks, chemical-resistant gloves, a NIOSH-approved dust/mist filter respirator with MSHA/NIOSH approval number prefix TC-21C or a NIOSH-approved respirator with any N, R, P, or HE filter, and chemical-resistant apron when mixing, loading, cleaning up spills, or equipment.</p> <p>ENGINEERING CONTROLS Masks and caddis supporting wide applications to alfalfa, cotton, soybeans, corn, raffinose, sorghum, and wheat, must use a closed system that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural establishments (40 CFR 170.260-101). The system must be capable of removing the pesticide from the vehicle, trailer and transfering it into mixing tanks or other application equipment. All types of closed systems must be equipped with a dry-discard or dry-multiple discal device that is supported by the manufacturer to minimize the passage of no more than 2% of the pesticide.</p> <p>In addition, masks and caddis must:</p> <ul style="list-style-type: none"> - wear the personal protective equipment required on the label for mixers and loaders, except that respirators are optional. - wear pants and long sleeves. If the system operates under pressure, it must be provided and have hand safety devices. If the system is a sprayer, such as a brush package, sprayer or equipment or sprayer, chemical-resistant footwear and a respirator of the type specified in the WPS section of this label are required. <p>PPEs must also be unlabeled unless they meet the requirements listed in the WPS for agricultural pesticides (40 CFR 170.260-101). PPEs need to cover the PPE required in the label for applicators, but must also at least include: gloves, long pants, shoes, and socks.</p> <p>Water sprayers used for application on or used with a barrier laminate, the respirator must be a NIOSH-approved agricultural pesticide, EPA Est. # 73280-004-001, or a NIOSH-approved PPE respirator may be not used or modified as specified in the WPS.</p> <p>USER SAFETY RECOMMENDATIONS Do not follow: 1) Water tanks before using, cleaning, cleaning, using, using, or using. 2) Do not follow the use of clothing PPE, if possible. 3) Do not follow the use of clothing PPE, if possible. 4) Do not follow the use of clothing PPE, if possible. 5) Do not follow the use of clothing PPE, if possible. 6) Do not follow the use of clothing PPE, if possible. 7) Do not follow the use of clothing PPE, if possible. 8) Do not follow the use of clothing PPE, if possible. 9) Do not follow the use of clothing PPE, if possible. 10) Do not follow the use of clothing PPE, if possible.</p>
FIRST AID ORGANOPHOSPHATE			
<p>IF SWALLOWED:</p> <ul style="list-style-type: none"> • Call a poison control center or doctor for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person. <p>IF IN EYES:</p> <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice. <p>IF ON SKIN OR CLOTHING:</p> <ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice. <p>IF INHALED:</p> <ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, and any mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice. <p>Have the product container or label with you when calling a poison control center or doctor or going to hospital. For information on the toxic effects of this product including health concerns, medical emergencies or persistent incidents call the National Pesticide Information Center at 1-800-858-7378.</p> <p>NOTE TO PHYSICIAN: AVOID ORAL GELS. Patients may obtain more information as an adjunct to therapy. This product may also be obtained as a liquid. Dimethoate is an organophosphate insecticide.</p>			



Manufactured by
Drexel Chemical Company
P.O. BOX 13327, MEMPHIS, TN 38113-0327
TEL. 901-372-4276
SINCE 1972

PRECAUTIONARY STATEMENTS

Hazards To Humans and Domestic Animals

WARNING: Harmful or fatal if swallowed. Avoid breathing vapor or spray mist. Avoid contact with skin, eyes and clothing. May cause eye irritation. Use only with adequate ventilation. Do not contaminate food and feed products.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are Barrier laminate, Butyl rubber or Viton. If you want more options, follow the instructions for Category B on an EPA chemical-resistance category selection chart.

(Continued)

PRECAUTIONARY STATEMENTS (Cont.)

Mixers, loaders, applicators, flaggers, and other handlers must wear:

Long-sleeved shirt and long pants, shoes plus socks, chemical-resistant gloves, a NIOSH-approved dust/mist filtering respirator with MSHA/NIOSH approval number prefix TC-21C or a NIOSH-approved respirator with any N, R, P, or HE filter, and chemical-resistant apron when mixing, loading, cleaning up spills, or equipment.

See Engineering Controls for additional requirements and exceptions. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.